7400029

THE CONTRES OF ANTERIOR

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Western Valley Seed Company

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SEVENTEEN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

PEA

'Hustler'

In Lestimony Wathercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 16th day of August in the year of our Lord one thousand nine hundred and seventy-four

Earl L. Berty

Attest: Lonnissioner Jollin

Plant Variety Arctection Office Grain Division

Agricultural Marketing Service

FORM GR - 470 (12-15-72)

(DATE)

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

FORM APPROVED OMB NO. 40-R3712

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse. 1. VARIETY NAME OR TEMPORARY	2. KIND NAME		FOR OFFICIAL USE ONLY	
DESIGNATION	1		PV NUMBER	100 79
Hustler	Peas	· · · · · · · · · · · · · · · · · · ·		POORY
3. GENUS AND SPECIES NAME	Leguminos		FILING DATE	8:60 A.M.
Pisum Sativum			FEE RECEIVED	BALANCE DUE
	5. DATE OF DETER	MINATION	1200	_ \$
	August 1, 19	70	\$35B	\$
6. NAME OF APPLICANT(S)	7. ADDRESS (Street & Code)	and No. or R.F.D. No.,	City, State, and ZIP	8. TELEPHONE AREA CODE AND NUMBER
	317 D St	reet P.O.Bo	ox 855	H.
Western Valley Seed Co	Lewiston, 1	Lewiston, Idaho 83501		208-743-6261
9. IF THE NAMED APPLICANT IS NOT A PE	ERSON, FORM OF	10. STATE OF INCO	RPORATION	11. DATE OF INCOR-
ORGANIZATION: (Comporation, partnership				PORATION
Corporation		Idaho		Junuary 27,19
12. Name and mailing address of appli	cant representative(s), if any, to serve	in this application	and receive all papers
13B. Exhibit B, Botanical Des 13C. Exhibit C, Objective Des 13D. Exhibit D, Data Indicativ 13E. Exhibit E, Statement of the Company of the	cription of the Varie e of Novelty he Basis of Applican	ty nt's Ownership ry be sold by variet	y name only as a c	lass of certified seed?
14B. Does the applicant(s) specify th limited as to number of generation	at this variety be	14C. If "Yes," to beyond breed	14B, how many ge	nerations of production
The applicant declares that a viable ance of a certificate and will be rep				
The undersigned applicant(s) of the uniform, and stable as required in Plant Variety Protection Act.				
Applicant is informed that false rep	presentation herein c	an jeopardize prote	ction and result in	penalpses
November 1,1973 (DATE)		WTOUL,	SIGNATURE OF APPL	1
(DATE)		(SIGNATURE OF APPL	ICANT)

INSTRUCTIONS

GENERAL: Send an original copy of the application rexhibition § \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- .13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
 - 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
 - 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
 - 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.



Cablegrams: Westvalley Phone: (208) 743-6261

GROWERS OF CANNING AND FREEZING VARIETIES OF SEED PEAS

EXHIBIT A

Origin and Breeding History of the Variety

- 1. Hustler originated in Idaho in 1964 from a hand pollinated cross between an Oregon State University Line B104-1 as the male parent and Western Valley Seed Co. Scout 68354 as the female parent. (OSU B104-1 X Scout 68354).
- 2. This original cross was multiplied five generations through greenhouse and outside plot plantings. Pure line selections being made in the sixth generation in 1967. Pure line selections were based on maturity, vine length, growth havits, yield, and over all good freezer characteristics.
- 3. For five years tests were made for maturity, yield, and quality at four Europeon testing stations and two stations in New Zealand. Tests were being conducted at this same time by commercial procesors in the Mid-West. Tests were also conducted on the West Coast by Oregon State University and two Washington State University Experimental Stations.
- 4. Selected and stabilized in Fo. No variants appeared in following generations. Ur. 11/20/73 743



Cablegrams: Westvalley Phone: (208) 743-6261

GROWERS OF CANNING AND FREEZING VARIETIES OF SEED PEAS

EXHIBIT B

Botanical Description of the Variety

- 1. Hustler is a very early Perfection type freezer pea. Maturity being one day later than Regular Alaska.
- 2. The variety is a Perfection type vine, internodes zigzag, stiff straw, and open type growing habit with a height of eighteen to twenty inches. Plant will do some branching, node color is green, internode length being about two and one half color. First inflorenscence being on the tenth node. Leaflets are paired two or more, medium wax, stipules are marbled, waxed, very dark green and non clasping. Flowers are white with greenish venation, bearing mostly double pods, 3½" long which are straight and blunt. Six or eight berries per pod. Seeds being wrinkled with yellow cotyledons.
- 3. There appears to be no problem with genetic varients.



3

FORM GR-470-14 (10-2-72)

2 Venation

TORM APPROVED. OMB NO. 40-R371 FORM APPROVED. OMB NO. 40-R371 EXHIBIT: UNITED STATES DEPARYMENT OF AGRICULTURE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782 OBJECTIVE DESCRIPTION OF VARIETY PEA (PISUM SATIVUM) FOR OFFICIAL USE ONLY PVPO NUMBER 7400029 VARIETY NAME OF APPLICANTIS Vestern Valley Seed Co. ODRESS (Street and No. of R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. of R.F.D. No., City, State, and ZIP Code) Lewiston, Idaho 83501 Place the appropriate number that describes the varietal character of this variety in the boxes below. Place a zero in first box (e.g. 0 8 9 or 0 9) when number is either 99 or less or 9 or less.	-
AGRICUL GRAIN DIVISION (10-2-72) HYATTSVILLE, MARYLAND 20782 OBJECTIVE DESCRIPTION OF VARIETY OBJECTIVE DESCRIPTION OF VARIETY PEA (PISUM SATIVUM) FOR OFFICIAL USE ONLY PVPO NUMBER 1 OStreet and No. or R.F.D. No., City, State, and ZIP Code) CODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) Lewiston, Idaho 83501	-
AGRICUL GRAIN DIVISION (10-2-72) HYATTSVILLE, MARYLAND 20782 OBJECTIVE DESCRIPTION OF VARIETY OBJECTIVE DESCRIPTION OF VARIETY PEA (PISUM SATIVUM) FOR OFFICIAL USE ONLY PVPO NUMBER 14 COOQ VARIETY NAME OR TEMPORARY DESIGNATION HUSTLE R Lewiston, Idaho 83501	-
OBJECTIVE DESCRIPTION OF VARIETY OBJECTIVE DESCRIPTION OF VARIETY PEA (PISUM SATIVUM) FOR OFFICIAL USE ONLY PVPO NUMBER 1 ONLY ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) ODRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	-
TRUCTIONS: See Reverse. PEA (PISUM SATIVUM) FOR OFFICIAL USE ONLY PVPO NUMBER 14 COO29 Vestern Valley Seed Co. Vestern Valley Name on Temporary Designation HUSTLE R	-
TRUCTIONS: See Reverse. ME OF APPLICANT(S) Western Valley Seed Co. Western Valley Seed Co. JORESS (Street and No. or R.F.D. No., City, State, and ZIP Code) On Street P.O. Box 855 Lewiston, Idaho 83501 FOR OFFICIAL USE ONLY PYPO NUMBER 7400029 VARIETY NAME OR YEMPORARY DESIGNATION HUSTLE R	
TRUCTIONS: See Reverse. ME OF APPLICANT(S) Western Valley Seed Co. Western Valley Seed Co. ORESS (Street and No. or R.F.D. No., City, State, and ZIP Code) 317 D Street P.O. Box 855 Lewiston, Idaho 83501	
Western Valley Seed Co. Western Valley Seed Co. DRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) 317 D Street P.O. Box 855 Lewiston, Idaho 83501	
Western Valley Seed Co. DRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) 317 D Street P.O. Box 855 Lewiston, Idaho 83501	
317 D Street P.O. Box 855 Lewiston, Idaho 83501 HUSTLER	
317 D Street P.O. Box 855 Lewiston, Idaho 83501 HUSTLER	
1 ewiston, Idaho 83501	
lewiston, Idaho 8550	
complet that describes the varietal character of this variety in the power of the p	
sumber that describes the value is either 99 or less of	
the appropriate number [6.19] when number is	
ace a zero in first opa	
- AABOEN ZEFIELD	[
1 = TATEL (Internodes straight)	
All to the state of the state o	,
1 = EAHLY 10 12.	
1 TILE MANY LE	
MATURITY:	
6 = AUSTRIAN WIRE	
3 No. of days Editier than 4 = WANDO 5 = ALDERMAN WR	
1 No. of days Later than	
1	
4. PLANT HEIGHT:	
O 4 O CM. HIS	
O Cm. Shorter than	
	n)
15 Cm. Tatter than	,
Thomas Lexton Will	
5. VINE: 2 Stockiness: 2 = MEDIUM (THORISE LANDETERMINATE	
Habit: 1 = DÉTERMINATE 2 = INDETERMINATE 3 = MORE THAN 2 BRANCHES (Dwarf Gray Sugar)	
Branching: 1 = NONE (Alaska) 2 = 1 - 2 BRANCHES	
### 2 = RED BLOTCH	
Node Color: 1 = GREEN 2 = RED BLOTCH	
Node Color: 1 = GREEN 2 = RED BLOTCH [1] Node Color: 1 = GREEN 2 = RED BLOTCH [2] Node Color: 1 = GREEN (Just below 1st flowering node)	
Node Color: 1 = GREEN 2 = RED BLOTCH O 2 ⁶ CM, INTERNODE LENGTH (Just below 1st flowering node) 3 = DARK GREEN (Alderman)	
Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM, INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED, GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alaska WR)	
Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alaska) 4 = OTHER (Specify)	
Node Color: 1 = GREEN 2 = RED BLOTCH CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alderman) Color: 4 = OTHER (Specify) Marbling: 1 = NONE 2 = MARBLED (Alaska)	Total source
Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Laxton WR) 3 = DARK GREEN (Alderman) Color: 4 = OTHER (Specify) 1 = NONE - 2 = MARBLED (Alaska)	
Node Color: 1 = GREEN 2 = RED BLOTCH CM. INTERNODE LENGTH (Just below 1st flowering node) CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alderman) Color: 4 = OTHER (Specify) Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE -2 MARBLED (Alaska)	
Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alderman) Color: 4 = OTHER (Specify) Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 MARBLED (Alaska) Cludes pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE	2000 <u>x</u>
Node Color: 1 = GREEN 2 = RED BLOTCH O Z CM, INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alderman) Color: 4 = OTHER (Specify) Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE -2 MARBLED (Alaska) Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE	
Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Laxton WR) 3 = DARK GREEN (Alderman) Color: 4 = OTHER (Specify) Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY Marbling: 1 = NONE 2 = MARBLED (Alaska) Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 7. STIPULES:	200 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alderman) 3 Color: 4 = OTHER (Specify) 3 Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY A Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 3 Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 7. STIPULES: 1 NOT CLASPING 2 = CLASPING	SAME
Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Laxton WR) 3 = DARK GREEN (Alderman) 3. Color: 4 = OTHER (Specify) Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 MARBLED (Alaska) Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 7. STIPULES: 1 = NOT CLASPING 2 = CLASPING 1 = SMALLER 2 SMALLER 2 SMALLER 2 LARGER	4.5AME
1 Node Color: 1 = GREEN 2 = RED BLOTCH O 2º CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Laxton WR) 3 = DARK GREEN (Alderman) 3. Color: 4 = OTHER (Specify) 3. Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 = MARBLED (Alaska) 3. Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 7. STIPULES: 1. = NOT CLASPING 2 = CLASPING 1. = NOT CLASPING 2 = CLASPING 2. STABBLED 3. Size (Compared with leaflets): 3 = LARGER	SAME
1 Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Laxton WR) 3 = DARK GREEN (Alderman) 3 Color: 4 = OTHER (Specify) 3 Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 MARBLED (Alaska) Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 7. STIPULES: 1 = NOT CLASPING 2 = CLASPING 1 = NOT CLASPING 2 = LARGER 3 Size (Compared with leaflets): 3 = LARGER	SAME
1 Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM, INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alderman) 3. Color: 4 = OTHER (Specify) Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 = MARBLED (Alaska) Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 7. STIPULES: 1 = NOT CLASPING 2 = CLASPING 1 = NOT CLASPING 2 = CLASPING 3. Size (Compared with leaflets): 3 = LARGEN 1 = NOT MARBLED 2 = MARBLED 3. Size (Compared with leaflets): 3 = LARGEN	SAME
1 Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alderman) 6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Lexton WR) 3 = DARK GREEN (Alderman) 3 Color: 4 = OTHER (Specify) 3 Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 = MARBLED (Alaska) Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 7. STIPULES: 1 = NOT CLASPING 2 = CLASRING 1 = NOT CLASPING 2 = MARBLED 3 Size (Compared with leaflets): 3 = LARGER 2 = SAME 3 = DARKER	SAME
1 Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Aleska WR) 2 = MED. GREEN (Thomas Laxton WR) 3 = DARK GREEN (Alderman) 3. Color: 4 = OTHER (Specify) 3. Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 = MARBLED (Aleska) 3. Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 = MARBLED (Aleska) 7. STIPULES: 1. = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 2. THREE OR MORE 3. Size (Compared with leaflets): 3 = LARGER 3. Size (Compared with leaflets): 3 = LARGER 3. Color (Compared with leaflets): 1 = LIGHTER 2 = SAME 3 = DARKER	
Node Color: 1 = GREEN 2 = RED BLOTCH O 2	SAME
Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS:	
1 Node Color: 1 = GREEN 2 = RED BLOTCH O 2 CM. INTERNODE LENGTH (Just below 1st flowering node) 6. LEAFLETS: 1 = LIGHT GREEN (Aleska WR) 2 = MED. GREEN (Thomes Laxton WR) 3 = DARK GREEN (Alderman) 3 Color: 4 = OTHER (Specify) 3 Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling: 1 = NONE 2 MARBLED (Aleska) Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE 7. STIPULES: 2 1 = LACKING 2 = PRESENT 1 = NOT CLASPING 2 = CLASPING 3 Size (Compared with leaflets): 3 = LARGER 3 Color (Compared with leaflets): 1 = LIGHTER 2 = SAME 3 = DARKER 4 S. FLOWER COLOR:	



Cablegrams: Westvalley Phone: (208) 743-6261

GROWERS OF CANNING AND FREEZING VARIETIES OF SEED PEAS

EXHIBIT D

Data Indicative of Novelty

Novelty is based on the extreme earliness of a wrinkle seeded perfection type freezer.

most dosely "A Lt. 11/20/73
Hustler, resembles Scout, except for being earlier, with a more slender open type vine, yet retaining high yield, potential with a good sieve size distribution.



Cablegrams: Westvalley Phone: (208) 743-6261

GROWERS OF CANNING AND FREEZING VARIETIES OF SEED PEAS

EXHIBIT E

Statement of Applicats Ownership

Western Valley Seed Co., of Lewiston, Idaho believes it is the sole, original and first breeder of Hustler variety of pea seed for which it solicits a Certificate of Protection.



7